

PRECISION,
QUALITY,
INNOVATION

Starrett®

NEW

CARBIDE TIPPED DEEP CUT HOLE SAWS


SPECIAL 3-PLY
TUNGSTEN
CARBIDE TIPPED
TEETH

CUTS
STAINLESS STEEL
UP TO 25MM (1")
THICKNESS

EXCELLENT
WEAR & HEAT
RESISTANCE

SOLID ONE PIECE
CONSTRUCTION,
NO ASSEMBLY
REQUIRED


EJECTOR SPRING
FOR CORE
REMOVAL



BROCHURE 2016

NEW

CARBIDE TIPPED DEEP CUT HOLE SAWS



The new Starrett Carbide Tipped Deep Cut hole saw (CTD) is the perfect solution for repeated intensive drilling in mild and stainless steel, cast iron, aluminium and copper of all thicknesses up to and including 25mm (1"). Starrett CTD hole saws feature three different angles ground on to the cutting face of each tooth on the saw. This 3-Ply tooth grind delivers a fast cut, minimal snag when the saw begins the cut, efficient swarf removal minimising heat build up, and maximum saw life. CTD will power through sheet, stainless steel up to 25mm (1") thickness, enclosures, pipework and structural steel work with either a fixed or portable drill, in a fraction of the time taken by a standard hole saw.

FEATURES

- Supplied as one piece with no need for assembly.
- 3-Ply tooth grind on each tooth delivers maximum performance and makes the saw much more robust than 2-Ply equivalents.
- Can be used with fixed or portable drills, mains power or cordless.
- All saws are supplied with an ejector spring to aid ejection of the core from the saw.
- Replacement pilot drills are available.

YouTube

Check out our
Demo Video →



HIGHER SPEEDS, INCREASED SAW STRENGTH, LIFE COMPARED WITH STANDARD HOLE SAWS

CARBIDE TIPPED DEEP CUT HOLE SAWS

Cat. No.	Hole Saw Diameter	
	mm	in
CTD15	15	19/32
CTD16	16	5/8
CTD17	17	11/16
CTD18	18	22/32
CTD19	19	3/4
CTD20	20	25/32
CTD21	21	13/16
CTD22	22	7/8
CTD23	23	29/32
CTD24	24	15/16
CTD25	25	1
CTD26	26	1.1/32
CTD27	27	1.1/16
CTD28	28	1.3/32
CTD29	29	1.1/8
CTD30	30	1.3/16
CTD32	32	1.1/4
CTD33	33	1.5/16
CTD34	34	1.11/32
CTD35	35	1.3/8
CTD36	36	1.13/32
CTD38	38	1.1/2
CTD39	39	1.17/32
CTD40	40	1.9/16
CTD45	45	1.25/32
CTD50	50	1.31/32
CTD51	51	2
CTD55	55	2.5/32
CTD60	60	2.3/8
CTD64	64	2.1/2
CTD65	65	2.9/16
CTD70	70	2.3/4
CTD75	75	2.15/16
CTD80	80	2.5/32
CTD85	85	3.11/32
CTD90	90	3.17/32
CTD95	95	3.3/4
CTD100	100	3.15/16

CARBIDE TIPPED DEEP CUT HOLE SAW KITS

Cat No.	No. of Saws	Hole Saw Diameters
KCT08001	8	16mm, 20mm, 22mm, 25mm, 32mm, 40mm, 51mm & 64mm
KCT07001	7	16mm, 20mm, 22mm, 25mm, 32mm, 40mm & 50mm

NEW


POS Packaging
with Kit Contents.

Tough Case for
Unbreakable
Protection.



REPLACEMENT PARTS

Cat No.	Description
A014F	Replacement Pilot Drill
A7CT	Replacement Ejector Spring



STARRETT PRODUCT LINES...

POWER TOOL ACCESSORIES & HAND TOOLS

JOB SITE & WORKSHOP TOOLS

BAND SAW BLADES & MACHINES

PRECISION MEASURING TOOLS

WEBBER GAUGE BLOCKS

METROLOGY EQUIPMENT

LASER MEASUREMENT

PRECISION GRANITE


PRECISION GROUND SOLUTIONS

ROUNDNESS MEASUREMENT

FORCE MEASUREMENT

SERVICE & TECHNICAL SUPPORT

CARBIDE TIPPED DEEP CUT



Follow us!



Starrett®

The L.S. Starrett Company Ltd. Oxnam Road, Jedburgh, Scotland. TD8 6LR
Tel: 00 44 (0)1835 863501 | Fax: 00 44 (0)1835 863018 | sales@starrett.co.uk

www.starrett.co.uk

CTD Hole Saw Brochure - May 2016 The L.S. Starrett Company Ltd. © Specifications subject to change without notice.